

**КАМА**СЕРВИСНЫЙ  
МЕТАЛЛОЦЕНТР

+7 (342) 20-20-548

+7 (342) 20-20-550

ИНН 5903124528 КПП 590301001 ОГРН 1165958076800

г. Пермь, Ш. Космонавтов, д. 61а, оф.1,2,3

info@smc-kama.ru, manager@smc-kama.ru

РЕЗКА МЕТАЛЛА ДО 1110 мм, МЕХОБРАБОТКА

12.09.2019

| Ф РАЗМЕР                    | № на складе | МАРКА СТАЛИ | ДЛИНА мм | КОЛ-ВО кг   | КОЛ-ВО на складе(кг) | Д |
|-----------------------------|-------------|-------------|----------|-------------|----------------------|---|
| <b>КРУГ</b>                 |             |             |          |             |                      |   |
| Ø 190                       | к26         | 45          | 3395     | <b>750</b>  | 750                  |   |
| Ø 200                       | к24         | 40Х         | 520      | <b>128</b>  | 128                  |   |
| Ø 250                       | бн          | 40Х         | 810      | <b>310</b>  | 310                  |   |
| Ø 250                       | бн          | 40Х         | 420      | <b>161</b>  | 161                  |   |
| <b>ПОКОВКА ГОСТ 8479-70</b> |             |             |          |             |                      |   |
| <b>см 20 ГОСТ 1050-2013</b> |             |             |          |             |                      |   |
| Ø 335обт.                   | 21          | 20          | 3765     | <b>2590</b> | 2590                 |   |
| Ø 353обт.                   | 23          | 20          | 4340     | <b>3370</b> | 3370                 |   |
| Ø 340                       | к88         | 20          | 1150     | <b>814</b>  | 814                  |   |
| Ø 360                       | к324        | 20          | 7230     | <b>6090</b> | 6090                 |   |
| Ø 360                       | к267        | 20          | 60       | <b>50</b>   | 50                   |   |
| Ø 373 обт.                  | 24          | 20          | 2065     | <b>1760</b> | 1760                 |   |
| Ø 380                       | к93         | 20          | 150      | <b>133</b>  | 133                  |   |
| Ø 393 обт.                  | 22          | 20          | 2450     | <b>2450</b> | 2450                 |   |
| Ø 395 обт.                  | 318         | 20          | 5350     | <b>5180</b> | 5180                 |   |
| Ø 395 обт.                  | 315         | 20          | 5440     | <b>5190</b> | 5190                 |   |
| Ø 398 обт.                  | 314         | 20          | 5400     | <b>5180</b> | 5180                 |   |
| Ø 400                       | к325        | 20          | 5560     | <b>5450</b> | 5450                 |   |
| Ø 403 обт.                  | п8          | 20          | 2310     | <b>2287</b> | 2287                 |   |
| Ø 425 обт.                  | 233         | 20          | 3120     | <b>3420</b> | 3420                 |   |
| Ø 420                       | к200        | 20          | 3075     | <b>3325</b> | 3325                 |   |
| Ø 440                       | к268        | 20          | 2935     | <b>3490</b> | 3490                 |   |
| Ø 440                       | к65         | 20          | 80       | <b>95</b>   | 95                   |   |
| Ø 455 обт.                  | 317         | 20          | 5870     | <b>7600</b> | 7600                 |   |
| Ø 460                       | к222        | 20          | 970      | <b>1257</b> | 1257                 |   |
| Ø 460                       | к281        | 20          | 4470     | <b>6000</b> | 6000                 |   |
| Ø 460                       | к66         | 20          | 820      | <b>1070</b> | 1070                 |   |
| Ø 473 обт.                  | 319         | 20          | 5250     | <b>7180</b> | 7180                 |   |
| Ø 480                       | к201        | 20          | 310      | <b>437</b>  | 437                  |   |
| Ø 500                       | к327        | 20          | 4310     | <b>6600</b> | 6600                 |   |
| Ø 500                       | к39         | 20          | 170      | <b>261</b>  | 261                  |   |
| Ø 505 обт.                  | 371         | 20          | 2580     | <b>4030</b> | 4030                 |   |
| Ø 515 обт.                  | 316         | 20          | 4850     | <b>7830</b> | 7830                 |   |

|                                  |       |         |      |              |      |
|----------------------------------|-------|---------|------|--------------|------|
| Ø 520                            | κ266  | 20      | 4030 | <b>6720</b>  | 6720 |
| Ø 535 обм.                       | 325   | 20      | 4700 | <b>8160</b>  | 8160 |
| Ø 560                            | κ4    | 20      | 507  | <b>974</b>   | 974  |
| Ø 560                            | κ92   | 20      | 795  | <b>1527</b>  | 1527 |
| Ø 575 обм.                       | 350   | 20      | 4100 | <b>8300</b>  | 8300 |
| Ø 615 обм.                       | 357   | 20      | 2790 | <b>6463</b>  | 6463 |
| 180x640x800                      | 358   | 20      | 800  | <b>720</b>   | 720  |
| 600x800x970                      | 358   | 20      | 970  | <b>3660</b>  | 3660 |
| 160x430x220                      | бн    | 20      | 220  | <b>118</b>   | 118  |
| 180x260x290                      | бн    | 20      | 290  | <b>106</b>   | 106  |
| 30x180x430                       | бн    | 20      | 430  | <b>19</b>    | 19   |
| <b>cm 20X ГОСТ 4543-2016</b>     |       |         |      |              |      |
| Ø 380                            | 31257 | 20X     | 925  | <b>825</b>   | 825  |
| Ø 500                            | 31360 | 20X     | 550  | <b>850</b>   | 850  |
| Ø 950                            | 31359 | 20X     | 240  | <b>1510</b>  | 1510 |
| <b>cm 40 ГОСТ 1050-2013</b>      |       |         |      |              |      |
| Ø 240                            | κ159  | 40      | 1510 | <b>533</b>   | 533  |
| <b>cm 4X5MΦ1C ГОСТ 5950-2000</b> |       |         |      |              |      |
| Ø 255                            | κ160  | 4X5MΦ1C | 1300 | <b>518</b>   | 518  |
| <b>cm 45 ГОСТ 1050-2013</b>      |       |         |      |              |      |
| 45x140x225                       |       | 45      | 225  | <b>11</b>    | 11   |
| 55x210x435                       |       | 45      | 435  | <b>40</b>    | 40   |
| 55x210x435                       |       | 45      | 435  | <b>40</b>    | 40   |
| 75x155x435                       |       | 45      | 435  | <b>40</b>    | 40   |
| 85x165x280                       |       | 45      | 280  | <b>31</b>    | 31   |
| 100x260x530                      |       | 45      | 530  | <b>108</b>   | 108  |
| 100x300x1260                     | κ165  | 45      | 1260 | <b>295</b>   | 295  |
| 110x195x1520                     | κ154  | 45      | 1520 | <b>255</b>   | 255  |
| 135x150x195                      |       | 45      | 195  | <b>2 ум.</b> | 62   |
| 140x195x1110                     | κ162  | 45      | 1110 | <b>237</b>   | 237  |
| 140x195x1110                     | κ161  | 45      | 1110 | <b>237</b>   | 237  |
| 140x195x1150                     | κ163  | 45      | 1150 | <b>245</b>   | 245  |
| 140x195x890                      | κ164  | 45      | 890  | <b>190</b>   | 190  |
| 140x195x1150                     | κ166  | 45      | 1150 | <b>245</b>   | 245  |
| 167x428x530                      |       | 45      | 530  | <b>296</b>   | 296  |
| 180x325x450                      | 3134  | 45      | 450  | <b>210</b>   | 210  |
| 180x325x450                      | 3134  | 45      | 450  | <b>210</b>   | 210  |
| 180x325x450                      | 3134  | 45      | 450  | <b>210</b>   | 210  |
| 180x365x430                      |       | 45      | 430  | <b>220</b>   | 220  |
| 210x250x275                      | κ156  | 45      | 275  | <b>113</b>   | 113  |
| 200x240x275                      | κ155  | 45      | 275  | <b>103</b>   | 103  |
| 210x270x230                      | κ144  | 45      | 230  | <b>102</b>   | 102  |
| 250x280x350                      | κ137  | 45      | 340  | <b>192</b>   | 192  |
| 600x800x725                      | 3134  | 45      | 725  | <b>2750</b>  | 2750 |
| Ø 330обм.                        | 273   | 45      | 3560 | <b>2375</b>  | 2375 |

|                              |      |     |      |             |      |
|------------------------------|------|-----|------|-------------|------|
| Ø 340                        | κ302 | 45  | 1450 | <b>1030</b> | 1030 |
| Ø 354обм.                    | 2109 | 45  | 4825 | <b>3770</b> | 3770 |
| Ø 360                        | κ303 | 45  | 2580 | <b>2045</b> | 2045 |
| Ø 360                        | п12  | 45  | 140  | <b>111</b>  | 111  |
| Ø 374 обм.                   | 2100 | 45  | 4260 | <b>3650</b> | 3650 |
| Ø 380                        | κ304 | 45  | 4590 | <b>4060</b> | 4060 |
| Ø 400                        | κ326 | 45  | 2840 | <b>2802</b> | 2802 |
| Ø 400                        | κ181 | 45  | 140  | <b>140</b>  | 140  |
| Ø 406 обм.                   | 283  | 45  | 2400 | <b>2430</b> | 2430 |
| Ø 415 обм.                   | 2159 | 45  | 3240 | <b>3470</b> | 3470 |
| Ø 420                        | κ329 | 45  | 5460 | <b>6000</b> | 6000 |
| Ø 420                        | κ204 | 45  | 580  | <b>630</b>  | 630  |
| Ø 434 обм.                   | 3177 | 45  | 3050 | <b>3580</b> | 3580 |
| Ø 450                        | κ321 | 45  | 1780 | <b>2220</b> | 2220 |
| Ø 453 обм.                   | 3117 | 45  | 5450 | <b>6870</b> | 6870 |
| Ø 460                        | κ274 | 45  | 4800 | <b>6220</b> | 6220 |
| Ø 474 обм.                   | 327  | 45  | 5520 | <b>7630</b> | 7630 |
| Ø 480                        | κ189 | 45  | 885  | <b>1270</b> | 1270 |
| Ø 500 обм.                   | 3132 | 45  | 4320 | <b>6800</b> | 6800 |
| Ø 500                        | κ203 | 45  | 1090 | <b>1680</b> | 1680 |
| Ø 500                        | κ34  | 45  | 3140 | 4840        | 4840 |
| Ø 513 обм.                   | 3131 | 45  | 3365 | <b>5423</b> | 5423 |
| Ø 520                        | κ190 | 45  | 155  | 250         | 250  |
| Ø 536 обм.                   | 326  | 45  | 475  | <b>840</b>  | 840  |
| Ø 550                        | κ219 | 45  | 670  | <b>1241</b> | 1241 |
| Ø 555 обм.                   | 3143 | 45  | 4770 | <b>9100</b> | 9100 |
| Ø 560                        | κ273 | 45  | 3150 | <b>6050</b> | 6050 |
| Ø 580                        | κ285 | 45  | 1855 | <b>3840</b> | 3840 |
| Ø 580 обм.                   | 3119 | 45  | 3500 | <b>7230</b> | 7230 |
| Ø 600                        | п13  | 45  | 1685 | <b>3715</b> | 3715 |
| Ø 615 обм.                   | 3118 | 45  | 3560 | <b>3750</b> | 3750 |
| Φ630хΦ230                    | бн   | 45  | 220  | <b>460</b>  | 460  |
| Ø 645 обм.                   | 3122 | 45  | 2800 | <b>8880</b> | 8880 |
| Ø 673 обм.                   | 3121 | 45  | 1690 | <b>4700</b> | 4700 |
| Ø 700хΦ320                   | κ146 | 45  | 390  | <b>925</b>  | 925  |
| Ø 705обм.                    | 3133 | 45  | 2610 | <b>8280</b> | 8280 |
| Ø 750                        | п48  | 45  | 1410 | <b>4857</b> | 4857 |
| Ø 760хΦ350                   | κ150 | 45  | 430  | <b>1200</b> | 1200 |
| Ø 760хΦ350                   | κ149 | 45  | 430  | <b>1200</b> | 1200 |
| Ø 760хΦ360                   | κ152 | 45  | 430  | <b>1180</b> | 1180 |
| Ø 770хΦ360                   | κ148 | 45  | 400  | <b>1220</b> | 1220 |
| <b>см 40X ГОСТ 4543-2016</b> |      |     |      |             |      |
| 130x130x365                  | бн   | 40X | 365  | <b>48</b>   | 48   |
| 200x300x420                  | бн   | 40X | 420  | <b>197</b>  | 197  |

|             |       |     |      |             |      |
|-------------|-------|-----|------|-------------|------|
| Ø 190       | к331  | 40X | 550  | <b>122</b>  | 122  |
| Ø 190       | к331  | 40X | 465  | <b>103</b>  | 103  |
| Ø 190       | к331  | 40X | 465  | <b>103</b>  | 103  |
| Ø 250       | бн    | 40X | 590  | <b>226</b>  | 226  |
| Ø 260       | к332  | 40X | 1325 | <b>549</b>  | 549  |
| Ø 300       | п19   | 40X | 605  | <b>397</b>  | 397  |
| Ø 320       | к334  | 40X | 675  | <b>426</b>  | 426  |
| Ø 320обм.   | 2743  | 40X | 3290 | <b>2070</b> | 2070 |
| Ø 320       | к335  | 40X | 2570 | <b>1620</b> | 1620 |
| Ø 320       | к254  | 40X | 500  | <b>315</b>  | 315  |
| Ø 340       | к2730 | 40X | 5180 | <b>3930</b> | 3930 |
| Ø 340       | к2742 | 40X | 100  | <b>250</b>  | 250  |
| Ø 340       | к2739 | 40X | 560  | <b>400</b>  | 400  |
| Ø 340       | к284  | 40X | 160  | <b>115</b>  | 115  |
| Ø 360       | к344  | 40X | 5870 | <b>4660</b> | 4660 |
| Ø 360       | к348  | 40X | 2940 | <b>2340</b> | 2340 |
| Ø 360       | к285  | 40X | 310  | <b>246</b>  | 246  |
| Ø 360       | к286  | 40X | 385  | <b>306</b>  | 306  |
| Ø 360       | к36   | 40X | 325  | <b>258</b>  | 258  |
| Ø 360       | бн    | 40X | 100  | <b>2um</b>  | 160  |
| Ø 360 (370) | к64   | 40X | 110  | <b>93</b>   | 93   |
| Ø 380       | к2744 | 40X | 5220 | <b>4480</b> | 4480 |
| Ø 380       | бн    | 40X | 150  | <b>133</b>  | 133  |
| Ø 380       | бн    | 40X | 230  | <b>204</b>  | 204  |
| Ø 390обм.   | 2304  | 40X | 4905 | <b>4510</b> | 4510 |
| Ø 393обм.   | 3106  | 40X | 5370 | <b>5090</b> | 5090 |
| Ø 395обм.   | 3175  | 40X | 3000 | <b>3000</b> | 3000 |
| Ø 398обм.   | 2293  | 40X | 1730 | <b>1700</b> | 1700 |
| Ø 400       | к310  | 40X | 6000 | <b>6000</b> | 6000 |
| Ø 403 обм.  | п4    | 40X | 490  | <b>490</b>  | 490  |
| Ø 405 обм.  | 3107  | 40X | 670  | <b>680</b>  | 680  |
| Ø 405 обм.  | 3164  | 40X | 800  | <b>805</b>  | 805  |
| Ø 405 обм.  | 3165  | 40X | 1000 | <b>1200</b> | 1200 |
| Ø 405 обм.  | к3114 | 40X | 955  | <b>970</b>  | 970  |
| Ø 405 обм.  | к3113 | 40X | 200  | <b>200</b>  | 200  |
| Ø 410       | бн    | 40X | 270  | <b>278</b>  | 278  |
| Ø 410 обм.  | 3469  | 40X | 520  | <b>540</b>  | 540  |
| Ø 420 обм.  | 223   | 40X | 4100 | <b>4430</b> | 4430 |
| Ø 423 обм.  | к33   | 40X | 270  | <b>296</b>  | 296  |
| Ø 425 обм.  | 222   | 40X | 3270 | <b>3620</b> | 3620 |
| Ø 420       | к313  | 40X | 565  | <b>615</b>  | 615  |
| Ø 420       | бн    | 40X | 100  | <b>108</b>  | 108  |
| Ø 420       | бн    | 40X | 80   | <b>87</b>   | 522  |

|                        |       |      |      |      |      |
|------------------------|-------|------|------|------|------|
| Ø 430xφ315             | бн    | 40X  | 180  | 96   | 96   |
| Ø 430обм.              | 21781 | 40X  | 4990 | 5670 | 5670 |
| Ø 430                  | к52   | 40X  | 92   | 100  | 100  |
| Ø 435                  | к3473 | 40X  | 5050 | 5630 | 5630 |
| Ø 435(440)             | бн    | 40X  | 160  | 190  | 190  |
| Ø 440                  | бн    | 40X  | 300  | 356  | 356  |
| Ø 440                  | бн    | 40X  | 360  | 427  | 427  |
| Ø 452обм.              | 21785 | 40X  | 4590 | 5760 | 5760 |
| Ø 515обм.              | 3116  | 40X  | 3260 | 5390 | 5390 |
| Ø 520                  | к217  | 40X  | 2515 | 4165 | 4165 |
| Ø 520                  | к212  | 40X  | 4175 | 6915 | 6915 |
| Ø 520                  | к216  | 40X  | 90   | 150  | 150  |
| Ø 535обм.              | 3177  | 40X  | 4620 | 8160 | 8160 |
| Ø 535обм.              | 3178  | 40X  | 4570 | 8080 | 8080 |
| Ø 540                  | к246  | 40X  | 1920 | 3430 | 3430 |
| Ø 540                  | к213  | 40X  | 3100 | 5535 | 5535 |
| Ø 550                  | к245  | 40X  | 2050 | 3860 | 3860 |
| Ø 555обм               | 337   | 40X  | 3910 | 7500 | 7500 |
| Ø 560                  | к328  | 40X  | 3760 | 7420 | 7420 |
| Ø 560                  | к311  | 40X  | 3540 | 6800 | 6800 |
| Ø 598(605)             | 3226  | 40X  | 3610 | 8000 | 8000 |
| Ø 614 обм.             | 347   | 40X  | 3570 | 8380 | 8380 |
| Ø 624 обм.             | 359   | 40X  | 1115 | 2660 | 2660 |
| Ø 660                  | к287  | 40X  | 1500 | 4000 | 4000 |
| Ø 675обм               | 364   | 40X  | 3020 | 8820 | 8820 |
| Ø 680                  | к199  | 40X  | 1670 | 4730 | 4730 |
| Ø 710обм               | 363   | 40X  | 1980 | 6130 | 6130 |
| Ø 725обм               | 361   | 40X  | 2580 | 8670 | 8670 |
| Ø 730                  | к79   | 40X  | 785  | 2585 | 2585 |
| Ø 774обм               | 362   | 40X  | 600  | 2210 | 2210 |
| 100x330x940            | 3120  | 40X  | 940  | 244  | 244  |
| 180x235x435            | 3120  | 40X  | 435  | 145  | 145  |
| 65x385x600             | 31015 | 40X  | 600  | 118  | 118  |
| 110x205x380            | 31015 | 40X  | 380  | 67   | 67   |
| 600x800x410            | 31015 | 40X  | 410  | 1536 | 1536 |
| 590x790x2030           | 31007 | 40X  | 2030 | 7900 | 7900 |
| см 40XH ГОСТ 4543-2016 |       |      |      |      |      |
| 200x405x870            | к138  | 40XH | 870  | 550  | 550  |
| Ø 330                  | к262  | 40XH | 1700 | 1135 | 1135 |
| Ø 330                  | к263  | 40XH | 1960 | 1310 | 1310 |
| Ø 330                  | к264  | 40XH | 1960 | 1310 | 1310 |
| Ø 330                  | к265  | 40XH | 1960 | 1310 | 1310 |
| Ø 450                  | бн    | 40XH | 385  | 480  | 480  |

|                           |       |          |      |             |      |
|---------------------------|-------|----------|------|-------------|------|
| Ø 450                     | бн    | 40XH     | 615  | <b>770</b>  | 770  |
| см 40XH2MA ГОСТ 4543-2016 |       |          |      |             |      |
| Ø 420                     | к292  | 40XH2MA  | 1010 | <b>1100</b> | 1100 |
| Ø 320                     | к157  | 40X2H2MA | 120  | <b>75</b>   | 75   |
| Ø 460                     | бн    | 40XH2MA  | 180  | <b>235</b>  | 235  |
| см 09Г2С ГОСТ 19281-2014  |       |          |      |             |      |
| Ø 300                     | к333  | 09Г2С    | 6575 | <b>3650</b> | 3650 |
| Ø 310(300)                | п25   | 09Г2С    | 200  | <b>120</b>  | 120  |
| Ø 310обм.хф200            | бн    | 09Г2С    | 200  | <b>4ум.</b> | 600  |
| Ø 350                     | к3493 | 09Г2С    | 3030 | <b>2273</b> | 2273 |
| Ø 360 (чистм330)          | к68   | 09Г2С    | 3940 | <b>3150</b> | 3150 |
| Ø 365                     | к3494 | 09Г2С    | 5120 | <b>4205</b> | 4205 |
| Ø 380                     | к342  | 09Г2С    | 3445 | <b>3070</b> | 3070 |
| Ø 400                     | к343  | 09Г2С    | 2745 | <b>2710</b> | 2710 |
| Ø 410                     | к3490 | 09Г2С    | 1540 | <b>1590</b> | 1590 |
| Ø 420                     | к3491 | 09Г2С    | 3000 | <b>3265</b> | 3265 |
| Ø 420                     | бн    | 09Г2С    | 310  | <b>335</b>  | 335  |
| Ø 450                     | к80   | 09Г2С    | 125  | <b>155</b>  | 155  |
| Ø 500                     | к259  | 09Г2С    | 3815 | <b>5800</b> | 5800 |
| Ø 500                     | к28   | 09Г2С    | 255  | <b>400</b>  | 400  |
| Ø 520                     | к349  | 09Г2С    | 3350 | <b>5790</b> | 5790 |
| Ø 600                     | к178  | 09Г2С    | 1490 | <b>3310</b> | 3310 |
| Ø 650                     | к255  | 09Г2С    | 1965 | <b>5120</b> | 5120 |
| Ø 700                     | к261  | 09Г2С    | 2150 | <b>6450</b> | 6450 |
| см 30XMA ГОСТ 4543-71     |       |          |      |             |      |
| 300x300                   | к301  | 30XMA    | 5745 | <b>4033</b> | 4033 |
| 330x330                   | к235  | 30XMA    | 3280 | <b>2787</b> | 2787 |
| 360x360                   | к229  | 30XMA    | 620  | <b>631</b>  | 631  |
| 360x360                   | к226  | 30XMA    | 2330 | <b>2371</b> | 2371 |
| Ø 330                     | к344  | 30XMA    | 1370 | <b>920</b>  | 920  |
| Ø 515                     | к295  | 30XMA    | 1843 | <b>3000</b> | 3000 |
| Ø 515                     | к296  | 30XMA    | 4285 | <b>7280</b> | 7280 |
| Ø 575                     | к257  | 30XMA    | 60   | <b>122</b>  | 122  |
| Ø 575                     | к198  | 30XMA    | 120  | <b>243</b>  | 243  |
| Ø 575                     | бн    | 30XMA    | 120  | <b>245</b>  | 245  |
| Ø 575                     | бн    | 30XMA    | 120  | <b>245</b>  | 245  |
| Ø 575                     | к197  | 30XMA    | 140  | <b>283</b>  | 283  |
| Ø 575                     | бн    | 30XMA    | 100  | <b>5ум</b>  | 1015 |
| Ø 590                     | к196  | 30XMA    | 320  | <b>682</b>  | 682  |
| Ø 590                     | бн    | 30XMA    | 100  | <b>214</b>  | 214  |
| Ø 630                     | бн    | 30XMA    | 220  | <b>535</b>  | 535  |
| Ø 640                     | к240  | 30XMA    | 400  | <b>1004</b> | 1004 |
| Ø 640 (650)               | к239  | 30XMA    | 370  | <b>930</b>  | 930  |

|                               |      |        |      |             |      |
|-------------------------------|------|--------|------|-------------|------|
| Ø 640                         | κ237 | 30XMA  | 535  | <b>1342</b> | 1342 |
| Ø 640                         | бн   | 30XMA  | 100  | <b>3μm</b>  | 753  |
| Ø 680                         | κ288 | 30XMA  | 2310 | <b>6730</b> | 6730 |
| Ø 705                         | κ299 | 30XMA  | 2265 | <b>7215</b> | 7215 |
| Ø 705                         | κ300 | 30XMA  | 2232 | <b>7100</b> | 7100 |
| Ø 705                         | κ290 | 30XMA  | 2170 | <b>6770</b> | 6770 |
| Ø 705                         | κ289 | 30XMA  | 2075 | <b>6600</b> | 6600 |
| Ø 705                         | κ305 | 30XMA  | 600  | <b>1830</b> | 1830 |
| Ø 705                         | κ306 | 30XMA  | 1130 | <b>3440</b> | 3440 |
| Ø 705                         | κ248 | 30XMA  | 250  | <b>761</b>  | 761  |
| Ø 730                         | κ249 | 30XMA  | 2040 | <b>6660</b> | 6660 |
| Ø 800                         | κ251 | 30XMA  | 430  | <b>1685</b> | 1685 |
| Ø 800                         | бн   | 30XMA  | 275  | <b>1078</b> | 1078 |
| <b>cm 30X13 ГОСТ 5632-72</b>  |      |        |      |             |      |
| Ø 410                         | κ158 | 30X13  | 1580 | <b>1630</b> | 1630 |
| 120x150                       | бн   | 30X13  | 470  | <b>66</b>   | 66   |
| <b>cm 34XH1M ГОСТ</b>         |      |        |      |             |      |
| Ø 320                         | κ346 | 34XH1M | 4270 | <b>2695</b> | 2695 |
| <b>cm 35XM ГОСТ 4543-71</b>   |      |        |      |             |      |
| Ø 930xΦ230                    | κ145 | 35XM   | 340  | <b>1690</b> | 1690 |
| <b>cm 38XM ГОСТ 4543-71</b>   |      |        |      |             |      |
| Ø 280                         | κ142 | 38XM   | 1220 | <b>590</b>  | 590  |
| <b>cm 5XHM ГОСТ 5950-2000</b> |      |        |      |             |      |
| Ø 300                         | κ143 | 5XHM   | 820  | <b>455</b>  | 455  |
| Ø 420                         | κ330 | 5XHM   | 4450 | <b>4810</b> | 4810 |
| Ø 515                         | бн   | 5XHM   | 100  | <b>160</b>  | 160  |
| Ø 515                         | бн   | 5XHM   | 100  | <b>160</b>  | 160  |
| Ø 515                         | бн   | 5XHM   | 25   | <b>41</b>   | 41   |
| Ø 515                         | κ113 | 5XHM   | 445  | <b>750</b>  | 750  |
| Ø 520                         | κ350 | 5XHM   | 3160 | <b>5340</b> | 5340 |
| 510x700x2260                  | κ347 | 5XHM   | 2260 | <b>6410</b> | 6410 |
| <b>cm 9X1 ГОСТ 5950-2000</b>  |      |        |      |             |      |
| Ø 395                         | бн   | 9X1    | 155  | <b>149</b>  | 149  |
| Ø 420                         | бн   | 9X1    | 175  | <b>190</b>  | 190  |
| Ø 530                         | бн   | 9X1    | 90   | <b>155</b>  | 155  |
| Ø 530                         | бн   | 9X1    | 140  | <b>241</b>  | 241  |
| Ø 530                         | бн   | 9X1    | 100  | <b>172</b>  | 172  |
| Ø 530                         | бн   | 9X1    | 100  | <b>172</b>  | 172  |
| Ø 630                         | κ340 | 9X1    | 595  | <b>1450</b> | 1450 |
| Ø 630                         | κ206 | 9X1    | 180  | <b>438</b>  | 438  |
| Ø 630                         | бн   | 9X1    | 130  | <b>316</b>  | 316  |
| Ø 630                         | бн   | 9X1    | 115  | <b>280</b>  | 280  |
| Ø 630                         | бн   | 9X1    | 130  | <b>316</b>  | 316  |
| Ø 630                         | бн   | 9X1    | 140  | <b>341</b>  | 341  |

|                                  |      |         |      |             |      |
|----------------------------------|------|---------|------|-------------|------|
| Ø 630                            | бн   | 9X1     | 95   | <b>231</b>  | 231  |
| <i>см 9X2МФ ОСТ.24.013.20-90</i> |      |         |      |             |      |
| Ø 530                            | к317 | 9X2МФ   | 2260 | <b>5200</b> | 5200 |
| Ø 530                            | к318 | 9X2МФ   | 3000 | <b>5200</b> | 5200 |
| <i>см 0XH3МФА ГОСТ 4543-71</i>   |      |         |      |             |      |
| 540x650x700                      | к130 | 0XH3МФА | 700  | <b>1917</b> | 1917 |
| 560x645x700                      | к130 | 0XH3МФА | 700  | <b>1973</b> | 1973 |
| <i>см 65Г ГОСТ 1133-71</i>       |      |         |      |             |      |
| Ø 970xΦ250                       | к147 | 65Г     | 310  | <b>1667</b> | 1667 |

**+7 (342) 20-20-548**

**+7 (342) 20-20-550**

***info@smc-kama.ru***

***manager@smc-kama.ru***

**РЕЗКА МЕТАЛЛА ДО 1110 мм,  
МЕХОБРАБОТКА**